Table 64 (page 1 of 2). Use of selected substances in the past month by persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, selected years 1979–96

[Data are based on household interviews of a sample of the population 12 years of age and over]

Substance, age, sex, race, and Hispanic origin	1979	1982	1985	1988	1990	1991	1992	1993	1994	1995	1996
Cigarettes	Percent of population										
12–17 years			29	23	22	21	18	19	19	20	18
12–13 years									9	11	7
14–15 years									20	21	18
16–17 years									29	30	28
12-17 years:											
Male			31	24	24	23	18	18	20	21	18
Female			28	22	21	19	18	19	18	20	19
White, non-Hispanic			33	27	26	24	22	21	22	23	21
Black, non-Hispanic			17	10	*	8	6	8	12	12	12
Hispanic			21	15	21	17	14	16	14	16	15
18-25 years:											
Male									37	38	43
Female									32	32	33
White, non-Hispanic									39	39	43
Black, non-Hispanic									25	24	29
Hispanic									28	28	30
Alaskal											
Alcohol	60	5 7	60	EE	F 2	F0	40	E4	ΕA	F 0	E 4
12 years and over	63 50	57 35	60 41	55 33	53 33	52 27	49 21	51 24	54 22	52 21	51 19
12–17 years									9	8	5
14–15 years									22	21	19
16–17 years									36	34	31
18–25 years	75	67	70	65	63	63	59	59	63	61	60
26–34 years	72	72	71	65	64	63	62	64	65	63	62
35 years and over	60	53	58	63	50	50	47	50	54	53	52
12–17 years:											
Male	52	36	44	36	34	30	22	24	22	22	19
Female	47	34	38	31	31	24	19	23	21	20	18
White, non-Hispanic	53	39	46	36	37	27	22	26	24	23	20
Black, non-Hispanic			30	22	21	28	18	18	18	15	15
Hispanic			27	32	24	28	20	22	18	19	20
18–25 years:											
Male									71	68	67
Female									55	55	54
White, non-Hispanic									68	67	65
Black, non-Hispanic									52	48	50
Hispanic									54	49	50
Heavy alcohol ¹											
•			20	15	14	16	15	15	17	16	15
12 years and over			22	15	15	13	10	11	8	8	7
12–17 years									2	2	1
14–15 years									8	8	6
16–17 years									16	15	15
18–25 years			34	28	30	31	30	29	34	30	32
26–34 years			28	20	21	22	23	22	24	24	23
35 years and over			13	10	8	10	9	10	12	12	11
12–17 years:											
Male			29	19	19	17	13	1 <u>5</u>	10	9	9
Female			14	11	12	9	7	7	7	6	6
White, non-Hispanic			26	18	18	16	11	13	10	9	8
Black, non-Hispanic			6	.3	*	6	6	.3	4	3	4
Hispanic			15	13	11	11	9	12	5	7	8
18-25 years:											
Male									47	41	44
Female									21	19	21
White, non-Hispanic									40	34	37
Black, non-Hispanic									17	16	19
Hispanic									26	23	25

See footnotes at end of table.

Health, United States, 1998

Table 64 (page 2 of 2). Use of selected substances in the past month by persons 12 years of age and over, according to age, sex, race, and Hispanic origin: United States, selected years 1979–96

[Data are based on household interviews of a sample of the population 12 years of age and over]

Substance, age, sex, race, and Hispanic origin	1979	1982	1985	1988	1990	1991	1992	1993	1994	1995	1996
Marijuana	Percent of population										
12 years and over 12–17 years 12–13 years 14–15 years 16–17 years 18–25 years	13 14 36	12 10 27	10 10 22	6 5 15	5 4 13	5 4 13	5 3 11	5 4 11	5 6 2 5 12 12	5 8 2 10 13 12	5 7 1 7 13 13
26–34 years	20 3	19 4	19 3	12 2	10 2	8 3	9 2	8 2	7 2	7 2	6 2
12–17 years: Male	16 12	11 9	11 9	5 6	5 4	4 3	4 3	4 4	7 5	9 7	8 7
White, non-Hispanic	16 10 8	11 7 *	12 6 6	6 3 3	5 2 3	4 3 3	4 2 3	4 3 4	6 6 6	8 8 8	7 7 7
18–25 years: Male									16 9	15 9	17 9
White, non-Hispanic Black, non-Hispanic									13 12 8	13 12 7	14 14 8
Cocaine											
12 years and over	2.6 1.5 9.9 3.0 0.2	2.4 1.9 7.0 3.5 0.5	3.0 1.5 8.1 6.3 0.5	1.6 1.2 4.8 2.8 0.4	0.9 0.6 2.3 1.9 0.5	1.0 0.4 2.2 1.9 0.5	0.7 0.3 2.0 1.5 0.2	0.7 0.4 1.6 1.0 0.4	0.7 0.3 1.2 1.3 0.4	0.7 0.8 1.3 1.2 0.4	0.8 0.6 2.0 1.5 0.4
12–17 years: Male	2.2 0.8	2.4 1.5	1.9 1.1	0.9 1.5	0.8 0.5	0.5 0.3	0.3 0.3	0.5 0.4	0.3 0.3	0.8 0.7	0.4 0.8
White, non-Hispanic	1.4 * 2.1	1.6	1.5 1.3 2.6	1.4 0.5 1.4	0.4 0.8 2.0	0.3 0.5 1.4	0.2 0.3 1.3	0.4 0.3 1.1	0.3 0.1 0.8	0.9 0.1 0.8	0.5 0.1 1.1
18–25 years: Male									0.9 0.6	1.7 0.9	2.7 1.4
White, non-Hispanic Black, non-Hispanic									1.2 0.7 2.2	1.5 0.7 1.1	2.3 1.1 2.1

^{- - -} Data not available.

NOTES: In 1994 the survey underwent major changes. Estimates for 1993 and earlier years are adjusted to be comparable with data from the redesigned survey. See Appendix I, Substance Abuse and Mental Health Services Administration. Estimates of the use of substances from the National Household Survey on Drug Abuse and the Monitoring the Future Study differ because of different methodologies, sampling frames, and tabulation categories.

SOURCES: National Household Survey on Drug Abuse Series H–3: Preliminary Results from the 1996 National Household Survey on Drug Abuse; and H–4: National Household Survey on Drug Abuse: Population Estimates 1996.

276 Health, United States, 1998

^{*} Estimates with relative standard error greater than 17.5 percent of the log transformation of the proportion are not shown.

¹Five or more drinks on the same occasion at least once in the past month.